

## HANGZHOU LOYAL CHEMICAL TECHNOLOGY CO., LTD.

Plant: Linjiang Industrial Park Xiaoshan District Hangzhou China

Office: 403, A Block, Nice Hi-Tech Park, 1117-2, Youyi Road, Guali Town, Xiaoshan, Hangzhou, China

Tel: +86 (0571) 82551299 Fax: +86 (0571) 82522228

| TECHNICAL DATA SHEET                           |   |
|--|---|
| PRODUCT NAME                                   | MANGANESE RED 2G  |
| CHEMICAL NATURE                                | MONOAZO   |
| CHEMICAL FORMULAR                              | C <sub>18</sub> H <sub>11</sub> ClN <sub>2</sub> O <sub>6</sub> SMn |
| COLOR INDEX NAME                               | PIGMENT RED 52:2(15860:2)   |
| CAS NO.  | 12238-31-2  |
| STRENGTH                                       | 100±2%  |
| <u>РНУ</u>                                     | <u>'SICAL PROPERTIES</u>  |
| PH AQUEOUS EXTRACT                             | 6.5-8.0   |
| RESIDUE ON SIEVE (100 um)                      | ≤3.0%   |
| WATER SOLUBLE MATTER                           | <u>≤2.0%</u>  |
| SOLUBLE IN WATER                               | INSOLUBLE   |
| ODOUR  | NONE  |
| PHYSICAL FORM                                  | DRY RED POWDER  |
| SPECIFIC GRAVITY                               | 1.66g/cm <sup>3</sup>   |
| OIL ABSORPTION                                 | ≤45g/100g   |
| VOLATILE AT 105℃                               | <3.0%   |
| FAS  | TNESS PROPERTIES  |
| LIGHT FASTNESS                                 | 7   |
| HEAT FASTNESS                                  | 180°C   |
| WATER RESISTANCE                               | 4   |
| OIL RESISTANCE                                 | 4   |
| ACID RESISTANCE                                | 5   |
| ALKALI RESISTANCE                              | 3   |
| TECHNICAL PROPERTIES                           |   |
| High weather resistance, high light fast       | tness.  |
|  | APPLICATION   |
| It's mainly used for industrial paint.         |   |
| Suggested for solvent-based decorative paint.  |   |
| NOTE   |   |
| The above information is provided as guideline | es for your reference only. The accurate effects should be based on |
| the test results in laboratory.                |   |