

HANGZHOU LOYAL CHEMICAL TECHNOLOGY CO., LTD.

Plant: Linjiang Industrial Park Xiaoshan District Hangzhou China

Office: 403, A Block, Nice Hi-Tech Park, 1117-2, Youyi Road, Guali Town, Xiaoshan, Hangzhou, China

Tel: +86 (0571) 82551299 Fax: +86 (0571) 82522228

TECHNICAL DATA SHEET

| TECHNICAE DATASHEET | |
|--|-------------------------|
| PRODUCT NAME | CROMOPHTAL BLEU A3R |
| CHEMICAL NATURE | ANTHRAQUINONE |
| CHEMICAL FORMULAR | $C_{28}H_{14}N_2O_4$ |
| COLOR INDEX NAME | PIGMENT BLUE 60 (69800) |
| CAS NO. | 81-77-6 |
| STRENGTH | 100±2% |
| PHYSICAL PROPERTIES | |
| PH AQUEOUS EXTRACT | 6.1-6.3 |
| RESIDUE ON SIEVE (100 um) | ≤3.0% |
| WATER SOLUBLE MATTER | ≤2.0% |
| SOLUBLE IN WATER | INSOLUBLE |
| ODOUR | NONE |
| PHYSICAL FORM | DRY BLUE POWDER |
| SPECIFIC GRAVITY | 1.50g/cm ³ |
| OIL ABSORPTION | ≤80g/100g |
| VOLATILE AT 105℃ | <3.0% |
| <u>FASTNESS PROPERTIES</u> | |
| LIGHT FASTNESS | 8 |
| HEAT FASTNESS | 300℃ |
| WATER RESISTANCE | 5 |
| OIL RESISTANCE | 5 |
| ACID RESISTANCE | 5 |
| ALKALI RESI <mark>STANC</mark> E | 5 |
| TECHNICAL PROPERTIES | |
| Reddish shade, semi-transparent. | |
| <u>APPLICATION</u> | |
| It's mainly used for OEM paint (car paint), water-based ink, coil coating. | |
| Suggested for PVC, RUB, solvent-based ink. | |
| <u>NOTE</u> | |
| · | |

The above information is provided as guidelines for your reference only. The accurate effects should be based on the test results in laboratory.